

**Amendments to the Claims:**

The following listing of claims will replace all prior versions and/or listings of claims in the application.

**Listing of Claims:**

1. (Currently amended): A method of configuring a computer system for receiving and processing Financial Service Organization (FSO) transaction-related data, wherein each FSO transaction-related data is defined by a plurality of fields, each of which contains the FSO transaction-related data, the method comprising:

displaying a plurality of field identifiers on a display screen of a monitor, wherein the monitor is in data communication with the computer system, a first memory, and a second memory, the computer system being configured to receive and process at least one Financial Service Organization (FSO) transaction-related data and to process at least one processing parameter, wherein each of the displayed field identifiers identifyingies a respective field in each of the FSO transaction-related data;

selecting a plurality of the displayed field identifiers;

storing the selected plurality of field identifiers in the first memory;

~~wherein the computer system is configured to receive a first FSO transaction-related data,~~  
wherein the computer system is configured to:

read the selected plurality of field identifiers from the first memory in response to the computer system receiving the a first FSO transaction-related data, wherein the computer system is configured to and

access and read a first processing parameter from the second memory using FSO transaction-related data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory, ~~and~~

~~wherein the computer system is configured to process the first FSO transaction-related data and the first processing parameter.~~

2. (Currently amended): The method of claim 1, further comprising:  
displaying a template on the monitor, ~~wherein the template comprises~~ a plurality of fields for receiving data values;  
entering a first data in a first field of the template;  
entering the first processing parameter in a second field of the template;  
storing the first processing parameter and the first data in the second memory;  
wherein the computer system is configured to:  
compare the first data stored in the second memory with the FSO transaction-related data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory, and ~~wherein the computer system is configured to~~  
access and read the first processing parameter if the first data compares equally to the FSO transaction-related data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory.
3. (Original): The method of claim 1, further comprising:  
preparing a first processing key value from data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory, wherein the computer system is configured to access and read the first processing parameter from the second memory using the first processing key.

4. (Original): The method of claim 3, wherein the first processing key value is defined by a plurality of fields which contain copies of data from the fields of the first FSO transaction-related data identified by the selected plurality of field identifiers read from the first memory.

5. (Original): The method of claim 4, further comprising:  
entering mapping data into the computer system, wherein the mapping data maps each of the selected plurality of field identifiers to a respective field of the first processing key value, wherein the computer system is configured to place data from each of the fields of the first FSO transaction-related data identified by the selected plurality of field identifiers into a respective field of the processing key value in accordance with the mapping data.

6. (Currently amended): A computer-implemented method comprising:  
displaying one or more key element representations on a display screen in data communication with a Financial Service Organization (FSO) computer system comprising a database, ~~wherein the FSO computer system is~~being configured to perform processing on FSO transaction-related data;  
selecting one or more key element representations from the displayed key element representations;  
preparing a key definition from the one or more key elements corresponding to the one or more selected key element representations in response to the user selecting the one or more key element representations; and  
storing the key definition in the database;—~~wherein the key definition stored in the database is~~being configured for use in preparing a processing key value from a transaction-related data in the Financial Service Organization (FSO) computer system,  
wherein the processing key value is configured for use in locating a process control data set in the database in the FSO computer system, ~~wherein the process control data set comprises~~ing one or more process control data values; and ~~wherein the process control data set~~

~~located using the processing key value is configured for use in processing the transaction-related data in the FSO computer system.~~

7. (Original): The method of claim 6, wherein the user selecting the key element representations, the preparing the key definition, and the storing the key definition occur during a configuration of the FSO computer system.

8. (Original): The method of claim 6, wherein the preparing the key definition from the one or more key elements further comprises the user specifying a sequence of the key elements in the key definition.

9. (Original): The method of claim 6, wherein the database comprises a plurality of data elements, and wherein the method further comprises:

the user selecting a plurality of key elements for use in key definitions from the plurality of data elements; and

the user selecting the one or more key elements for displaying on the display screen from the plurality of key elements.

10. (Original): The method of claim 6, further comprising:

the user defining one or more key values for the key definition;

the user defining a processing parameter value for each of the key values for the key definition; and

storing the one or more key values and processing parameter values in the database;

wherein locating the processing parameter value using the constructed processing key value comprises matching the constructed processing key value with one of the one or more key values stored in the database.

11. (Original): The method of claim 10, wherein each of the one or more key values is unique among the one or more key values for the key definition.
12. (Original): The method of claim 10, wherein the database comprises a process control data table associated with the key definition, wherein the process control data table comprises one or more rows, and wherein each row in the process control data table comprises one or more fields for storing one key value and one or more fields for storing the processing parameter value for the key value stored in the row.
13. (Original): The method of claim 10, wherein each of the one or more key values comprises one key element value for each of the one or more key elements in the key definition, and wherein the user defining the one or more key values for the key definition further comprises the user defining the one or more key element values for each of the one or more key values.
14. (Original): The method of claim 13, wherein the user defining the one or more key element values for each of the one or more key values comprises the user selecting a key element value for each of the one or more key elements in the key definition from a plurality of available key element values for the key element.
15. (Original): The method of claim 14, wherein the plurality of available key element values comprises a wildcard key element value.
16. (Original): The method of claim 6, wherein the database is relational or is object-oriented.
17. (Original): The method of claim 6, further comprising:

the user defining one or more key masks for the key definition, wherein each key mask comprises one or more mask fields, wherein the one or more mask fields in the key mask correspond to the one or more key elements in the key definition; and  
storing the one or more key masks in the database.

18. (Original): The method of claim 16, wherein the user defining the one or more key masks further comprises the user selecting a mask field value from a plurality of mask field values for each of the one or more mask fields in each of the one or more key masks, and wherein the plurality of mask field values comprises an equal mask field value and a wildcard mask field value.

19. (Original): The method of claim 6, wherein the transaction-related data comprises a credit card transaction, and wherein the processing parameter value comprises one or more data values configured for processing the credit card transaction.

20. (Original): The method of claim 18, wherein the processing parameter value comprises one or more merchant transaction pricing values.

21. (Currently amended): A system for processing Financial Service Organization (FSO) transactions, the system comprising:

a computer program;

a computer system configured to receive and process at least one Financial Service Organization (FSO) transaction-related data and to process at least one processing parameter;

wherein the computer program is executable on the computer system to execute:

displaying a plurality of field identifiers on a display screen of a monitor, wherein the monitor is in data communication with the computer system, a first memory, and a second memory, ~~wherein~~ each of the displayed field identifiers ~~identifying~~<sup>ies</sup> a respective field in each

of FSO transaction-related data;

selecting a plurality of the displayed field identifiers;

storing the selected plurality of field identifiers in the first memory;

~~wherein the computer system is configured to receive a first FSO transaction-related data,~~

wherein the computer system is configured to:

read the selected plurality of field identifiers from the first memory in response to the computer system receiving the a first FSO transaction-related data, and ~~wherein the computer system is configured to~~

access and read a first processing parameter from the second memory using FSO transaction-related data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory, and ~~wherein the computer system is configured to process the first FSO transaction-related data and the first processing parameter.~~

22. (Currently amended): The system of claim 21, wherein the computer program is further executable on the computer system to execute:

displaying a template on the monitor, ~~wherein the template comprises~~ ing a plurality of fields for receiving data values;

entering a first data in a first field of the template;

entering the first processing parameter in a second field of the template;

storing the first processing parameter and the first data in the second memory;

wherein the computer system is configured to:

compare the first data stored in the second memory with the FSO transaction-related data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory, and ~~wherein the computer system is configured to~~

access and read the first processing parameter if the first data compares equally to the FSO transaction-related data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory.

23. (Currently amended): The system of claim 21, wherein the computer program is further executable on the computer system to execute:

preparing a first processing key value from data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory, wherein the computer system is configured to access and read the first processing parameter from the second memory using the first processing key.

24. (Original): The system of claim 23, wherein the first processing key value is defined by a plurality of fields which contain copies of data from the fields of the first FSO transaction-related data identified by the selected plurality of field identifiers read from the first memory.

25. (Original): The system of claim 24, wherein the computer program is further executable on the computer system to execute:

entering mapping data into the computer system, wherein the mapping data maps each of the selected plurality of field identifiers to a respective field of the first processing key value, wherein the computer system is configured to place data from each of the fields of the first FSO transaction-related data identified by the selected plurality of field identifiers into a respective field of the processing key value in accordance with the mapping data.

26. (Original): A carrier medium comprising program instructions, wherein the program instructions are executable by a computer system to implement:

displaying a plurality of field identifiers on a display screen of a monitor, wherein the



monitor is in data communication with the computer system, a first memory, and a second memory, the computer system being configured to receive and process at least one Financial Service Organization (FSO) transaction-related data and to process at least one processing parameter, wherein each of the displayed field identifiers identifyingies a respective field in each of the FSO transaction-related data;

selecting a plurality of the displayed field identifiers;

storing the selected plurality of field identifiers in the first memory;

~~wherein the computer system is configured to receive a first FSO transaction-related data,~~

wherein the computer system is configured to:

read the selected plurality of field identifiers from the first memory in response to the computer system receiving the a first FSO transaction-related data, and ~~wherein the computer system is configured to~~

access and read a first processing parameter from the second memory using FSO transaction-related data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory, ~~and wherein the computer system is configured to process the first FSO transaction-related data and the first processing parameter.~~

27. (Currently amended): The carrier medium of claim 26, wherein the program instructions are further executable by the computer system to implement:

displaying a template on the monitor, ~~wherein the template comprises~~ing a plurality of fields for receiving data values;

entering a first data in a first field of the template;

entering the first processing parameter in a second field of the template;

storing the first processing parameter and the first data in the second memory;

wherein the computer system is configured to:

compare the first data stored in the second memory with the FSO transaction-related data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory, and ~~wherein the computer system is configured to~~

access and read the first processing parameter if the first data compares equally to the FSO transaction-related data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory.

28. (Original): The carrier medium of claim 26, wherein the program instructions are further executable by the computer system to implement:

the computer system preparing a first processing key value from data contained in fields of the first FSO transaction-related data that are identified by the selected plurality of field identifiers read from the first memory, wherein the computer system is configured to access and read the first processing parameter from the second memory using the first processing key.

29. (Original): The carrier medium of claim 28, wherein the first processing key value is defined by a plurality of fields which contain copies of data from the fields of the first FSO transaction-related data identified by the selected plurality of field identifiers read from the first memory.

30. (Original): The carrier medium of claim 29, wherein the program instructions are further executable by the computer system to implement:

entering mapping data into the computer system, wherein the mapping data maps each of the selected plurality of field identifiers to a respective field of the first processing key value, wherein the computer system is configured to place data from each of the fields of the first FSO

transaction-related data identified by the selected plurality of field identifiers into a respective field of the processing key value in accordance with the mapping data.

31. (Currently amended): A computer-implemented method comprising:

displaying one or more key element representations on a display screen in data communication with a Financial Service Organization (FSO) computer system comprising a database, ~~wherein the FSO computer system is~~ being configured to perform processing of FSO transaction-related data;

selecting one or more key element representation from the displayed key element representations;

preparing a key definition from the one or more key elements corresponding to the one or more selected key element representations in response to the user selecting the one or more key element representations; and

storing the key definition in the database;

wherein the key definition stored in the database is configured for use in preparing a processing key value from a transaction-related data in the FSO computer system, wherein the processing key value is configured for use in locating a process control data set in the database in the FSO computer system,

wherein the process control data set comprises one or more process control data values, and wherein the process control data set located using the processing key value is configured for use in processing the transaction-related data in the FSO computer system.

32-77. (Cancelled).

78. (Currently amended): A computer-implemented method comprising:

displaying on a display screen coupled to a Financial Service Organization (FSO) computer system a dictionary of data elements comprising one or more data elements associated

with an FSO transaction-related data, ~~wherein the FSO computer system~~ configured to processes the transaction-related data;

receiving a selection of one or more data elements selected from the dictionary of data elements, ~~wherein the selected one or more data elements are being~~ arranged in a particular sequence to identify a user-defined key, ~~wherein the user-defined key is being~~ configured during a configuration of the FSO computer system, ~~wherein the user-defined key and~~ describing a location of one or more corresponding data element values stored in an FSO database; and storing the user-defined key in the FSO database.